



EQUIP TO WIN® | UCSSPIRIT.com | 800.526.4856

ATHLETIC FACILITIES

BALL STOPPING SYSTEMS

- STRAIGHT POST
- CURVED POST

BALL STOPPING SYSTEM

ABOVE GROUND STRAIGHT POST

MODEL 590-3106 – 10'6" Ball Stopping System Above Ground Straight Post with Ground Sleeves

MODEL 590-3210 – 21' Ball Stopping System Above Ground Straight Post with Ground Sleeves

MODEL 590-3300 – 30' Ball Stopping System Above Ground Straight Post with Ground Sleeves

MODEL 590-3350 – 35' Ball Stopping System Above Ground Straight Post with Ground Sleeves

DESCRIPTION OF COMPONENTS:

- Ball stopper post height limits errant or stray balls around athletic fields and complexes
- Made in custom widths with typical spacing between each post of 20'
- Straight upright post
- Coated cable runs along the top and bottom to reduce net sag and increase tension
- Nets are a treated 43 mm. 1¾" mesh size
- All posts feature a rope storage cleat and pulleys to assist in raising and lowering the net
- 45° Angle ground sleeve prevents twisting of post

POST CONSTRUCTION:


- **590-3106** – 4" diameter x ¼" thick aluminum posts 14' plus in overall length
- **590-3210** – 4" diameter x ¼" thick aluminum posts 24' plus in overall length
- **590-3300** – 6" diameter x ¼" thick aluminum posts 35' plus in overall length
- **590-3350** – 6" diameter Schedule 40 aluminum posts 40' plus in overall length

The posts are installed vertically and slide in and out of the ground sleeves for easy assembly or takedown for off-season storage. Aluminum caps are included for the ground sleeves when the ball stopper is not set up.

- 36", 48", 60" Ground sleeves are powder-coated and finished with a 45° base. Uprights cut to match 45° base locking posts into correct position.
- Heavy duty 43 mm. nylon netting
- Includes ropes for raising and lowering

FINISH:

- **Posts:** Mill finish (powder coat available)
- **Ground Sleeves:** Powder-coated



BALL STOPPING SYSTEM

ABOVE GROUND CURVED POST

MODEL 590-4210 – 21' Ball Stopping System Above Ground Curved Post with Ground Sleeves

MODEL 590-4330 – 30' Ball Stopping System Above Ground Curved Post with Ground Sleeves

MODEL 590-4335 – 35' Ball Stopping System Above Ground Curved Post with Ground Sleeves

DESCRIPTION OF COMPONENTS:

- Ball stopper post height limits errant or stray balls around athletic fields and complexes
- Made in custom widths with typical spacing between each post of 20'
- Offset upright post
- Coated cable runs along the top and bottom to reduce net sag and increase tension
- Nets are a treated 43 mm. 1¾" mesh size
- All posts feature a rope storage cleat and pulleys to assist in raising and lowering the net
- 45° Angle ground sleeve prevents twisting of post

POST CONSTRUCTION:

- **590-4210** – 4" diameter x ¼" thick aluminum posts 24' plus in overall length
- **590-4300** – 6" diameter x ¼" thick aluminum posts 35' plus in overall length
- **590-4350** – 6" diameter Schedule 40 aluminum posts 40' plus in overall length

The posts are installed vertically and slide in and out of the ground sleeves for easy assembly or takedown for off-season storage. Aluminum caps are included for the ground sleeves when the ball stopper is not set up.

- 36", 48", 60" Ground sleeves are powder-coated and finished with a 45° base. Uprights cut to match 45° base locking posts into correct position.
- Heavy duty 43 mm. nylon netting
- Includes ropes for raising and lowering

FINISH:

- **Posts:** Mill finish (powder coat available)
- **Ground Sleeves:** Powder-coated

TYP. 20' LINEAR FOOTAGE
DETERMINED BY DESIGN

