



EQUIP TO WIN® | UCSSPIRIT.com | 800.526.4856

ATHLETIC FACILITIES



COMMUNICATION BOXES

- ARTIFICIAL TURF
- SYNTHETIC SURFACING

COMMUNICATION BOXES

(ARTIFICIAL TURF) MODELS 712-1250 & 712-1260

MODEL 712-1250 – Communication Box **FOR** Artificial Turf
 MODEL 712-1260 – Communication Box **WITH** Artificial Turf



CONSTRUCTION & DURABILITY:



- 1/4" aluminum construction for superior strength
- Precision TIG-welded seams for structural integrity
- Gusseted, reinforced frame design
- Sealed gaskets for enhanced weather resistance
- High-impact, corrosion-resistant powder-coated finish
- Stainless steel hardware for long-term performance

COVER DESIGN:

- Recessed cover (1/2") designed to receive synthetic surface or the UCS Mat Filler Kit
- Lockable solid lid protects connection openings



FEATURES:

- Integrated leveling adjusters for precise alignment
- Ground stud included for secure installation
- Available with or without internal divider (standard 12" depth, with 24" and 36" depth options available)



COMMUNICATION BOXES


(ARTIFICIAL TURF) MODELS 712-1250 & 712-1260




FRONT CROSS-SECTION

MODEL 712-1150 – Communication Box **FOR** Synthetic Surface

MODEL 712-1160 – Communication Box **WITH** Synthetic Surface



712-1150



712-1160

SYNTHETIC SURFACING INSTALLED
BY SURFACING CONTRACTOR

CONSTRUCTION & DURABILITY:

- ¼" aluminum construction with TIG-welded seams
- Gusseted, reinforced frame for superior structural strength
- High-impact, corrosion-resistant powder-coated finish
- Stainless steel hardware for long-term durability
- Sealed gaskets provide enhanced weather resistance

COVER & FINISH:


- Lockable solid lid protects connection openings
- Pressure-treated plywood/polywood cover designed for turf application
- Model 712-1260 ships pre-upholstered with artificial turf for natural grass field use
- Grass clamp included

Artificial turf can be installed flush to the sides of the box


NOTE: UCS does not guarantee an exact match to natural grass or turf.

FEATURES:

- Leveling adjusters and ground stud for secure installation
- Available with or without internal divider (Depth options: 12" (standard), 24", or 36")





TOP VIEW



SIDE VIEW

COMMUNICATION BOXES

(SYNTHETIC SURFACING) MODELS 712-1150 & 712-1160



FRONT CROSS-SECTION