



EQUIP TO WIN® | UCSSPIRIT.com | 800.526.4856

ATHLETIC FACILITIES

BASEBALL/SOFTBALL


• FOUL POLES

Product No.	Post (Above Ground)	Post (Overall)	Post Material	GS length	GS Material	Flag Width	Flag Length
591-1608	16'	20'	4" OD Al	48"	4 3/8" OD Al	24"	8'
591-1612	16'	20'	4" OD Al	48"	4 3/8" OD Al	18"	12'
591-1622	16'	16'	4" OD Al	Plate System	4 3/8" OD Al	18"	12'
591-2012	20'	24'	4" OD Al	48"	4 3/8" OD Al	18"	12'
591-2012-15-14	20'	20'	4" OD Al	Plate System	4 3/8" OD Al	24"	14'
591-2014	20'	24'	4" OD Al	48"	4 3/8" OD Al	18"	14'
591-2022	20'	20'	4" OD Al	Plate System	4 3/8" OD Al	18"	12'
591-2024	20'	20'	4" OD Al	Plate System	4 3/8" OD Al	18"	14'
591-3020	30'	35'	6" OD Al	60"	7" OD Steel	18"	20'
591-3020-22	30'	35'	6" OD Al	60"	7" OD Steel	24"	22'
591-3022	30'	35'	6" OD Al	60"	7" OD Steel	18"	22'
591-3024	30'	35'	6" OD Al	60"	7" OD Steel	18"	24'
591-3034	30'	35'	6" OD Al	60"	7" OD Steel	24"	21'
591-4024	40'	45'	6" OD Al	60"	7" OD Steel	18"	24'
591-4032	40'	45'	6" OD Al	60"	7" OD Steel	18"	32'

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-1608 (GROUND SLEEVES)

MODEL 591-1608 – Foul Poles (Pair) 16' Above Ground with 8' x 24" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 16' above ground for clear visibility and structural strength.

GRATING – High-visibility 8' x 2' Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.


INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-1612 (GROUND SLEEVES)

MODEL 591-1612 – Baseball Foul Poles (Pair) 16' Above Ground with 12' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 16' above ground for clear visibility and structural strength.

GRATING – High-visibility 12' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.


INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-1622 (GROUND PLATES)

MODEL 591-1622 – Baseball Foul Poles (Pair) 16' Above Ground with 12' x 18" Wing – Ground Plates



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 16' above ground for clear visibility and structural strength.

GRATING – High-visibility 12' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND PLATE SYSTEM – Poles are secured with Ground Plate System.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Ground plates allow easy assembly or takedown for off-season storage if needed.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.


INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-2012 (GROUND SLEEVES)

MODEL 591-2012 – Foul Poles (Pair) 20' Above Ground with 12' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 20' above ground for clear visibility and structural strength.

GRATING – High-visibility 12' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.




RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.

INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

MODEL 591-2012-15-14 – Foul Poles (Pair) 20' Above Ground with 14' x 24" Wing – Ground Plates



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 20' above ground for clear visibility and structural strength.

GRATING – High-visibility 14' x 2' Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND PLATE SYSTEM – Poles are secured with Ground Plate System.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Ground plates allow easy assembly or takedown for off-season storage if needed.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.


INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-2014 (GROUND SLEEVES)

MODEL 591-2014 – Foul Poles (Pair) 20' Above Ground with 14' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 20' above ground for clear visibility and structural strength.

GRATING – High-visibility 14' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.




INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-2022 (GROUND PLATES)

MODEL 591-2022 – Foul Poles (Pair) 20' Above Ground with 12' x 18" Wing – Ground Plates



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 20' above ground for clear visibility and structural strength.

GRATING – High-visibility 12' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND PLATE SYSTEM – Poles are secured with Ground Plate System.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Ground plates allow easy assembly or takedown for off-season storage if needed.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.




INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-2024 (GROUND PLATES)

MODEL 591-2024 – Foul Poles (Pair) 20' Above Ground with 14' x 18" Wing – Ground Plates



DESCRIPTIONS & FEATURES:

POSTS – 4" OD x 1/4" wall custom-extruded aluminum posts, standing 20' above ground for clear visibility and structural strength.

GRATING – High-visibility 14' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND PLATE SYSTEM – Poles are secured with Ground Plate System.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Ground plates allow easy assembly or takedown for off-season storage if needed.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.



INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-3020 (GROUND SLEEVES)

MODEL 591-3020 – Foul Poles (Pair) 30' Above Ground with 20' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 30' above ground for clear visibility and structural strength.

GRATING – High-visibility 20' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 60" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.



INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-3020-22 (GROUND SLEEVES)

MODEL 591-3020-22 – Foul Poles (Pair) 30' Above Ground with 22' x 24" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 30' above ground for clear visibility and structural strength.

GRATING – High-visibility 22' x 24" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.



INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-3022 (GROUND SLEEVES)

MODEL 591-3022 – Foul Poles (Pair) 30' Above Ground with 22' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 30' above ground for clear visibility and structural strength.

GRATING – High-visibility 22' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 60" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.



INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-3024 (GROUND SLEEVES)

MODEL 591-3024 – Foul Poles (Pair) 30' Above Ground with 24' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 30' above ground for clear visibility and structural strength.

GRATING – High-visibility 24' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 60" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.



INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-3034 (GROUND SLEEVES)

MODEL 591-3034 – Foul Poles (Pair) 30' Above Ground with 21' x 24" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 30' above ground for clear visibility and structural strength.

GRATING – High-visibility 21' x 2' Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:

- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.


INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.

BASEBALL/SOFTBALL FOUL POLES

MODEL 591-4024 (GROUND SLEEVES)

MODEL 591-4024 – Foul Poles (Pair) 40' Above Ground with 24' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 40' above ground for clear visibility and structural strength.

GRATING – High-visibility 24' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:


- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.


INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.



CONCRETE FOOTER
SHOULD BE POURED
TO LOCAL CODE

MODEL 591-4032 – Foul Poles (Pair) 40' Above Ground with 32' x 18" Wing – Ground Sleeves



DESCRIPTIONS & FEATURES:

POSTS – 6" OD x 1/4" wall custom-extruded aluminum posts, standing 40' above ground for clear visibility and structural strength.

GRATING – High-visibility 32' x 18" Fair Play Grating provides high visibility for umpires. Constructed from 1 1/2" x 3/16" custom aluminum and enclosed within a welded frame for added strength and durability.

FINISH – All components are sandblasted and electrostatically powder coated in optic yellow or white, providing enhanced visibility along with high impact and corrosion resistance.

GROUND SLEEVES & LOCKING MECHANISM – 48" powder-coated aluminum ground sleeves feature a 45-degree locking wedge system. Uprights are precision-cut to match the base wedge, ensuring perfect alignment, preventing twisting, and allowing for secure installation and easy seasonal removal if needed.

CONSTRUCTION SUMMARY:


- Heavy-duty aluminum materials ensure strength and longevity.
- Welded frame enclosure adds security to the grating.
- Easy installation with slide-in, slide-out ground sleeve system.

RULE & STANDARD COMPLIANCE:

- Complies with general baseball regulations, which allow for variations in grating size and pole height.

INSTALLATION GUIDELINES:

- Follow all manufacturer instructions during assembly.
- Always check and comply with local codes and regulations.



CONCRETE FOOTER
SHOULD BE POURED
TO LOCAL CODE