



EQUIP TO WIN® | UCSSPIRIT.com | 800.526.4856

ATHLETIC FACILITIES

WALL PADDING

- INDOOR (Z-Clip)
- OUTDOOR (Z-Clip & Bolt)



PART NUMBER: AL-DIE-ZCLIP

DESCRIPTION & FEATURES:

Used to assist in the semi-permanent attachment of wall production panels both indoors and outdoors

CONSTRUCTION:

ALUMINUM: 3" Overall with 1½" lift-off

LENGTH: Cut to size per project; stocked in continuous length of 144"

PROJECTION: ¼"

ADDITIONAL HARDWARE: MOUNTING


Owner supplied - appropriate to wall materials

INSTALLATION:

- Follow manufacturers instructions
- Check local codes
- **UCS** offers professional installation (additional fees apply)



VINYL COLOR OPTION(S):



BACKING: ¾" Structure wood

FOAM: 2" Thick 100 ILD. with an option to meet ASTM E84 if required

FLAMABILITY STANDARD: NFPA 701 CLASS C - Meets Requirement

COVER: 21 oz. Knife-coated vinyl available in a variety of colors. Vinyl fabric contains anti-bacterial & anti-fungal inhibitors, UV pigments, passes the California State Fire Marshall's Bulletin #117 flammability characteristics, and is tear resistant in excess of 90 psi. With comparable foam compilation it will meet ASTM E84 requirements.

FLAMABILITY STANDARD: NFPA 701 CLASS A - Meets Requirement

- 1" Lip for easy installation on top and bottom of panel is standard
- Z-Clip Attachment System available for additional fee

CUTOUTS: Sewn cutouts for utilities, corner pads, and column pads available

GRAPHICS: **UCS** offers **In-House Digital Printing** for wall padding. All graphics are printed on a flat bed UV printer. Graphics are printed on colored vinyl to match order. **UCS** does not print full color on white vinyl to prevent cracking and fading.

5-YEAR GUARANTEE: This covers against defective workmanship and materials. This does NOT cover against "wear-and-tear" caused by normal use or damage caused by weather or outside factors. Logo fade is NOT included. Warranty is valid from the substantial completion date.



OUTLET CUTOUT




VENT CUTOUT

INDOOR WALL PANEL

MODEL #260 SERIES

INDOOR WALL PROTECTION PANELS	
PART NO.	SIZE
260-14	1' x 4'
260-15	1' x 5'
260-16	1' x 6'
260-18	1' x 8'
260-24	2' x 4'
260-25	2' x 5'
260-25	2' x 6'
260-26	2' x 8'
260-46	4' x 6'
260-48	4' x 8'


CONSTRUCTION & FLANGE DETAIL



PADS CAN BE MADE WITHOUT 1" FLANGE

*Custom size pads available

**Custom cut-outs can be made according to needs





EQUIP TO WIN® | UCSSPIRIT.com | 800.526.4856

OUTDOOR WALL PANEL

MODEL #266 SERIES

RULE & STANDARD COMPLIANCE: NCAA

DESCRIPTION & FEATURES:

Helps protect athletes from injury and increases safety throughout an outdoor facility. **UCS** can manufacture **Outdoor Protection Panels** to be sized or cut-out to fit around outlets, hose hookups, vents, etc.

CUSTOM SIZES:

UCS can manufacture custom size mats when needed.

CONSTRUCTION:

BACKING: ¾" Sealed OSB backer primed on exposed side and all edges.

FOAM: 3" High-density polyurethane 100 IL, with an option to meet ASTM E84 if required.

VINYL: 21 oz. Knife-coated vinyl available in a variety of colors. Vinyl fabric contains anti-bacterial & anti-fungal inhibitors, UV pigments, passes the California State Fire Marshall's Bulletin #117 flammability characteristics, and is tear resistant in excess of 90 psi. With comparable foam compilation it will meet ASTM E84 requirements. *Z-CLIP Attachment System available for additional fee

CUTOUTS: Sewn cutouts for utilities, corner pads, and column pads available.

GRAPHICS: UCS offers In-House Digital Printing for wall padding. All graphics are printed on a flatbed UV printer. Graphics are printed on colored vinyl to match order. UCS does not print full color on white vinyl to prevent cracking and fading.

ADDITIONAL HARDWARE: MOUNTING

Owner supplied - appropriate to wall materials

INSTALLATION:

- Follow manufacturers instructions
- Check local codes
- **UCS** offers professional installation (additional fees apply)

5-YEAR GUARANTEE: This covers against defective workmanship and materials. This does NOT cover against "wear-and-tear" caused by normal use or damage caused by weather or outside factors. Logo fade is NOT included. Warranty is valid from the substantial completion date.



4' x 8' Bolt Back Wall Panel

OUTDOOR BOLT BACK WALL PANELS	
PART NO.	A x B (ft)
266-24-0001	2' x 4'
266-44-0001	4' x 4'
266-26-0001	2' x 6'
266-46-0001	4' x 6'
266-28-0001	2' x 8'
266-48-0001	4' x 8'




4' x 8' Yellow Stripe Wall Panel



4' x 8' Z-Clip Wall Panel

OUTDOOR Z-CLIP WALL PANELS	
PART NO.	A x B (ft)
266-24-0002	2' x 4'
266-44-0002	4' x 4'
266-26-0002	2' x 6'
266-46-0002	4' x 6'
266-28-0002	2' x 8'
266-48-0002	4' x 8'


VINYL COLOR OPTION(S):



PROPRIETARY & CONFIDENTIAL The information contained on this page is the sole property of UCS, Inc. Any reproduction in part, or as a whole, without the written permission of UCS, Inc is prohibited.

OUTDOOR WALL PANEL MODEL #266 SERIES

BOLT BACK SYSTEM



Z-CLIP SYSTEM (Additional Fee)

