



EQUIP TO WIN® | UCSSPIRIT.com | 800.526.4856

ATHLETIC FACILITIES

WATER JUMP

- PIT FORMS
- PIT COVERS
- BARRIERS
- BARRIER SEAL

RULE AND STANDARD COMPLIANCE NCAA, NFHS, & WORLD ATHLETICS



DESCRIPTION & FEATURES:


- (5) Piece pour-in-place form for concrete with cover ledge and barrier mounting plates
- Pour-in-place form ensures accuracy and ease of installation
- Barrier mounting plates allow for easy leveling of barrier
- Aluminum valves box included
- Drain and fill valve assembly supplied
- Corners are pre-formed to facilitate squaring of pit
- Depth is 50 cm.

CONSTRUCTION:

- Break formed 1/8" aluminum, TIG welded and reinforced
- PVC waterstop

INSTALLATION:

- Follow manufacturers instructions
- Check local codes



GUARANTEE:


- 15-year (does not include synthetic material)

MODEL 506-6150 INCLUDES:

- Aluminum Water Jump Pit Form
- Water Jump Pit Cover
- Adjustable Water Jump Barrier
- Water Jump Barrier Seal
- Fill & Drain Valves Box

ADDITIONAL HARDWARE:

- Stainless-steel fasteners
- Drain assembly
- Water jump barrier ground sleeves




ALUMINUM COVER OPTIONS

RECESSED ALUMINUM PIT COVER (STANDARD)

Recessed for Synthetic Surfacing
(to be applied by Surfacing Contractor)

FLUSH ALUMINUM PIT COVER (OPTION #2)

- Aluminum mill finish panels
- 100% Rust-resistant extruded aluminum interlocking tongue and groove planking
- Easy to carry panels
- (4) Removeable stainless steel handles per panel (T-Bar style)



MODULAR PANELS ARE CUSTOM MADE FOR THE PERFECT FIT IN ANY EXISTING PIT





RULE AND STANDARD COMPLIANCE NCAA, NFHS, USATF, & WORLD ATHLETICS

DESCRIPTION & FEATURES:

- 4" x 4" Aluminum uprights and legs finished in our durable wrinkle gray powder coat
- 4" X 4" Steel beam covered with ½" thick synthetic track surfacing, guaranteed not to warp
- Quick and efficient height adjustment with tightening knobs and locking system

UCS COUNTERBALANCE SYSTEM:

- Heavy duty spring-loaded system bears the weight of the beam, preventing the beam from dropping and assisting the beam in rising



RULE AND STANDARD COMPLIANCE NCAA & WORLD ATHLETICS



DESCRIPTION & FEATURES:

506-5418 Customized Water Jump Barrier Seal
506-5419 Standard Water Jump Barrier Seal

- **ALUMINUM PANELS (2)**
¾" Aluminum
130" Long x 20¾" Tall
- **ADJUSTABLE**
Moves simultaneously with barrier height adjustments
- **OPTIONAL CUSTOM GRAPHICS**
Available for an additional cost

